

DOUBLE COIN TRUCK TIRES COMPARISON CHART

2010/2011

UNCOMPROMISING QUALITY AND PERFORMANCE

THE SMART MONEY IS ON



PRODUCT COMPARISON CHART

| CATEGORY | PRODUCT | IMAGE | FEATURES | COMPETITORS |
|----------------|---------------|-------|---|--|
| FUEL EFFICIENT | FR605* | | <ul style="list-style-type: none"> Advanced tread compounds, internal design and construction 5-rib tread design Extensive siping & side-shoulder decoupling groove | <ul style="list-style-type: none"> Bridgestone R287, R227FE Goodyear G395 LHS Michelin XZA2 Energy, XZA3 |
| | FD405* | | <ul style="list-style-type: none"> Advanced tread compounds, internal design and construction Closed-shoulder tread design Deep ²⁶/₃₂" tread | <ul style="list-style-type: none"> Bridgestone M726EL, M720 Goodyear G305 LHD, G372A LHD Michelin XDA3, XDA – Energy |
| | FT105* | | <ul style="list-style-type: none"> Advanced tread compounds, internal design and construction Extensive tread siping Durable casing | <ul style="list-style-type: none"> Bridgestone R195F Goodyear G316 LHT Michelin XTA Energy |
| STEER | RT606+ | | <ul style="list-style-type: none"> Enhanced tread compounds & siping Premium 5-rib tread design with wide shoulders Extra deep ²²/₃₂" original tread depth | <ul style="list-style-type: none"> Bridgestone R260, R250F Goodyear G149 RSA, G169 RSA Hankook AH11, AH12 Continental HSR, HSR-1 Toyo M154, M124Z Firestone FS560 Kuhmo KRS02, KRS03 Michelin XZE2+, XZW2+ |
| | RR680 | | <ul style="list-style-type: none"> Premium 5-rib tread design with wide shoulders Deep ¹⁹/₃₂" original tread depth Enhanced channel siping and wide grooves | <ul style="list-style-type: none"> Bridgestone R294, R250F Goodyear G149 RSA, G159 Hankook AH08, AH11, AH12 Continental HSR, HSR-1 Toyo M143 Firestone FS507 Kuhmo 955 Michelin XZA1+ |
| | RT600 | | <ul style="list-style-type: none"> Enhanced tread compounds & siping Premium 5-rib tread design with wide shoulders Durable casing promotes long service life | <ul style="list-style-type: none"> Bridgestone R250F Goodyear G149 RSA Hankook AH11, AH12 Continental HSR, HSR-1 Toyo M143 Firestone FS560 Kuhmo KRS03 Michelin XZE2+, XZE3 |
| | RR150 | | <ul style="list-style-type: none"> Premium 5-rib tread design with wide shoulders Deep ¹⁹/₃₂" original tread depth Enhanced channel siping and wide grooves | <ul style="list-style-type: none"> Bridgestone R294, R250F Goodyear G149 RSA, G159 Michelin XZA1+ Continental HSR, HSR-1 Toyo M143 Firestone FS507 Kuhmo KRS02 |
| | RR300 | | <ul style="list-style-type: none"> 5-rib tread design with special compounds Platform rock ejectors Multiple sipes, decoupling grooves | <ul style="list-style-type: none"> Bridgestone R287 Goodyear G395 LHS Michelin XZA3 Continental HSL Toyo M147, M137 Firestone FS590+ Kuhmo KLS01 |
| | RR400 | | <ul style="list-style-type: none"> Premium ¹⁹/₃₂" original tread depth Wide shoulders Durable casing | <ul style="list-style-type: none"> Bridgestone R250 Goodyear G149 Hankook AH08, AH11 Continental HSR Toyo M154, M137 Firestone T559 Kuhmo 983 Michelin XZY3 |
| | RR200L | | <ul style="list-style-type: none"> Deep ²⁰/₃₂" original tread Abrasion-resistant tread compounds Durable casing | <ul style="list-style-type: none"> Bridgestone M860 Goodyear G291 Hankook AH12 Continental HSL Toyo M140Z Firestone T559 Kuhmo 955 Kuhmo KRS03 Michelin XZA1+ |
| | TR100 | | <ul style="list-style-type: none"> Optimum tread design Premium ¹⁴/₃₂" tread depth Center rib stone platform ejectors | <ul style="list-style-type: none"> Bridgestone R195F Goodyear G316 Hankook TL01 Continental HTL Toyo M127 Firestone FT455 Michelin XT-1 |
| | RT500 | | <ul style="list-style-type: none"> Special tread compounds 5-rib design Wide size options for multiple uses | <ul style="list-style-type: none"> Bridgestone R250F Goodyear G149 RSA, Hankook AH11, AH12 Continental HSR, HSR-1 Toyo M143 Firestone FS560 Kuhmo KRS02, KRS03 Michelin XTA |

PRODUCT COMPARISON CHART

| CATEGORY | PRODUCT | IMAGE | FEATURES | COMPETITORS |
|---------------|-----------------|---|--|--|
| DRIVE | RLB400 | | <ul style="list-style-type: none"> • Closed-shoulder tread design • Extra deep ³⁰/₃₂" tread • Heavy duty casing | <ul style="list-style-type: none"> • Bridgestone M726 • Goodyear G372 • Hankook DL01 • Continental HDL Eco Plus • Toyo M608Z • Firestone FD690+ • Kuhmo KLD01 • Michelin XDA3, XDA5 |
| | RLB450 | | <ul style="list-style-type: none"> • Innovative open shoulder tread design • Deep ²⁸/₃₂" original tread depth • Heavy duty casing | <ul style="list-style-type: none"> • Bridgestone M711, M725 • Goodyear G362, G182 • Hankook Z35A • Continental HDL • Toyo M610ZL • Firestone FD663 • Kuhmo KR003 • Michelin XD4, XDE M+S |
| | RLB490 | | <ul style="list-style-type: none"> • Innovative tread design & compounds • Durable casing construction • Multiple low profile options | <ul style="list-style-type: none"> • Bridgestone M724F • Goodyear G362 • Hankook Z59 • Continental HDR • Toyo M627 • Firestone FD690+ • Kuhmo KR002 • Michelin XDA3, XDA5 |
| | RLB1 | | <ul style="list-style-type: none"> • Open shoulder design; deep ²⁶/₃₂" tread depth • Full-depth siping • Tubeless and tube-type sizes | <ul style="list-style-type: none"> • Bridgestone M711, M725 • Goodyear G124, G182 • Hankook Z35A • Continental HDL • Toyo M610ZL • Firestone FD663 • Kuhmo KR003, 942 • Michelin XM+S4 |
| | RLB200+ | | <ul style="list-style-type: none"> • Aggressive directional tread pattern • Extra wide tread face | <ul style="list-style-type: none"> • Bridgestone M711, M725 • Goodyear G124, G182 • Hankook Z35A • Continental HDL • Toyo M610ZL • Firestone FD663 • Kuhmo KR003, 942 • Michelin XM+S4 |
| MIXED SERVICE | RR202 | | <ul style="list-style-type: none"> • 10,000lb load carrying capacity • Modern multi rib tread design • Extra durable casing | <ul style="list-style-type: none"> • Bridgestone M860 • Goodyear G291 • Hankook AH12 • Continental HSL • Toyo M140Z • Firestone T559 • Kuhmo 955 • Michelin XZY3, XZUS |
| | RR99/RR9 | | <ul style="list-style-type: none"> • Strong all-position tread pattern • Cut, chip and tear resistant tread • 10,000lb load carrying capacity • Tubeless and tube type sizes | <ul style="list-style-type: none"> • Bridgestone M860, M850 • Goodyear G288 • Hankook AH10 • Continental MS520 • Toyo M320 • Firestone T819 • Kuhmo 973 • Michelin XZY3 |
| | RLB900+ | | <ul style="list-style-type: none"> • Aggressive multi-purpose tread design • Large tread elements • Heavy duty belt package and undertread | <ul style="list-style-type: none"> • Bridgestone M844F • Goodyear G286 • Hankook AM02 • Continental HTC • Toyo M320Z • Firestone T839 • Kuhmo 943W • Michelin XZY3, XZUS |
| | RR900 | | <ul style="list-style-type: none"> • Wide footprint to distribute weight • 6-rib design | <ul style="list-style-type: none"> • Bridgestone M844F • Goodyear G286 • Hankook AM02 • Continental HTC • Toyo M320Z • Firestone T839 • Kuhmo 943W • Michelin XZUS |
| | RLB600 | | <ul style="list-style-type: none"> • Extra deep ³²/₃₂" tread depth • Chip and cut resistant compounds • Aggressive tread | <ul style="list-style-type: none"> • Bridgestone M775 • Goodyear G177 • Hankook DM04 • Continental HDO • Toyo M506Z • Firestone T831 • Kuhmo 939 • Michelin XZL |
| RLB800 | | <ul style="list-style-type: none"> • Chip, cut and abrasion resistant tread • Deep ²⁹/₃₂" tread depth • Aggressive tread | <ul style="list-style-type: none"> • Bridgestone L317, L320 • Goodyear G177 • Hankook DM04, AM02 • Continental HDO • Toyo M503Z • Firestone T819 • Kuhmo 939 • Michelin XDY3 | |

*Double Coin manufactures EPA SmartWay verified technologies

LIMITED MANUFACTURER'S WARRANTY

WWW.DOUBLECOIN-US.COM

LIMITED WARRANTY

Double Coin Radial TBR (Truck and Bus Radial) Tire Limited Manufacturers Warranty
January 1, 2010

TO OBTAIN AN ADJUSTMENT

- A. You must present the tire to be adjusted to a current Double Coin Commercial TBR Tire Dealer. (Please consult your telephone directory for locations or visit our dealer locator on our website at www.doublecoin-us.com).
- Tires replaced on an adjustment basis become the property of Double Coin.
- B. You must pay for taxes, fees or any additional services you order at the time of adjustment.
- C. No claim will be recognized unless submitted on a Double Coin claim form (supplied by the Double Coin Commercial TBR Tire Dealer), completely filled out and signed by you, the owner of the tire presented for adjustment, or your authorized agent.

FOR SERVICE ASSISTANCE OR INFORMATION

1. First contact the nearest Authorized Double Coin Commercial TBR Tire Dealer.
2. If additional assistance is required:
 - Visit our website at www.doublecoin-us.com.
 - E-mail The Double Coin Customer Relations Department at info@doublecoin-us.com or
 - Write to:
Double Coin Customer Assistance Service Department
406 E. Huntington Drive
Suite 200
Monrovia, CA 91016

WHO IS ELIGIBLE FOR WARRANTY COVERAGE

- You are eligible for the benefits of this warranty if you meet all the following criteria: You are the owner or authorized agent of the owner of new Double Coin Light Truck Radial or radial medium TBR tires.
- Your tires bear Department of Transportation (DOT) prescribed tire identification numbers and are not branded "NA" (Not Adjustable).
- Your Double Coin TBR tires have been used only on the vehicle on which they were originally installed according to the vehicle manufacturers or Double Coin's recommendations.
- Your tires were purchased on or after January 1, 2007.

WHAT IS COVERED UNDER THIS WARRANTY AND FOR HOW LONG

1. **50% FREE REPLACEMENT WARRANTY**
If any Double Coin TBR tire covered by this warranty becomes unserviceable due to a defect in workmanship or material during the first 50% of the original tread life (calculated by subtracting one-half (1/2) the difference between the original new tire tread depth and 2/32" from the original new tire tread depth), then Double Coin will reimburse the cost of a replacement Double Coin TBR tire to you, plus the cost of mounting and balancing as follows:
 - a. The defective Double Coin tire must be replaced with a comparable new Double Coin tire by an authorized Double Coin TBR tire dealer.
 - b. Costs of mounting and balancing will be refunded up to a maximum of \$16.00 per tire.
 - c. Applicable taxes and fees will be the responsibility of the owner of the vehicle.
 - d. 50% free replacement applies to first quality tires only. Blemished, Non-Adjustable (stamped on tire), retreads or road hazard tires are specifically excluded.
2. **PRORATED TIRE REPLACEMENT**
Double Coin TBR tires covered by this warranty that become unserviceable due to a defect in workmanship or material during the life of the original usable tread (down to 2/32 remaining usable tread), will be reimbursed to the owner on a prorated basis. You pay only for the mounting, balancing, taxes and fees.

HOW TO CALCULATE THE PRORATED AMOUNT

The replacement price will be calculated by multiplying the current Double Coin "predetermined price for adjustment"

or current advertised selling price at the adjustment location (whichever is lower) by the percentage of usable original tread that has been worn off at the time of adjustment. You pay for mounting, balancing, and amount equal to the full current Federal Excise Tax and any other applicable taxes and fees for the comparable new Double Coin replacement tire.

PRORATED REIMBURSEMENT EXAMPLE

If your disabled tire had an original 16/32" of usable tread depth and is worn to 8/32" of usable tread remaining you have used 50% and therefore must pay 50% of the predetermined price for adjustment or advertised selling price of a comparable tire, plus an amount equal to the full current Federal Excise Tax applicable to the comparable new replacement tire at the time of adjustment. If the price of the comparable tire is \$400.00, the cost to you would be \$200.00 plus Federal Excise Tax, mounting, balancing and any other applicable taxes.

DEFINITION OF A COMPARABLE TIRE

A "comparable" new Double Coin tire may either be the same line of tire or, in the event that the same tire is not available, a tire of the same basic construction and quality with a different sidewall or tread configuration. If a higher priced tire is accepted as replacement, the difference in price will be at an additional charge to you. Any replacement tire provided pursuant to this warranty will be covered by the Double Coin warranty in effect at the time of replacement.

WHAT THIS WARRANTY DOES NOT COVER

Irregular wear or tire damage due to:

- Road hazards (including punctures, cuts, snags, impact breaks, etc.)
- Wreck, collision, or fire.
- Improper inflation, overloading, high speed spinup, misapplication, misuse, negligence, racing, chain damage, or improper mounting or demounting.
- Mechanical condition of the vehicle.
- Ride disturbance after the first 2/32" treadwear or due to damaged wheels or any vehicle condition.
- Any tire intentionally altered after leaving a factory producing Double Coin tires to change its appearance (example: white inlay on a black tire).
- Tires with weather cracking which were purchased more than five (5) years prior to presentation for adjustment. If you have no proof of purchase date, tires manufactured five (5) or more years prior to presentation are not covered.
- This limited warranty is applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the U.S. and Canada are not covered by this warranty.
- Tire branded or marked "Non-Adjustable (N/A) or "Blemished" (Blem)", or previously adjusted.
- Failure, damage, or irregular wear due to:
- Accident or vandalism, improper misalignment, wheel imbalance, faulty shocks or brakes;
- Mechanical condition of vehicle, including misalignment, wheel imbalance, faulty shocks or brakes;
- Misapplication of tire, use of improper inner tube;
- Alteration of the tire or addition of alien material or transfer from one vehicle to another;
- TBR tire failed due to faulty retreading or material.
- Cost of mounting and balancing service except as noted above.
- Loss of time or use, Inconvenience, or any incidental or consequential damages.
- Material added to a tire after leaving a factory producing Double Coin tires: (example: tire fillers, sealants, or balancing substances). If the added material is the cause of the tire being removed from service, the tire will not be adjusted.
- Loss of time, inconvenience, loss of use of vehicle, incidental or consequential damage.

THE DOUBLE COIN RADIAL CASING PROVISION

TBR Tire Casings will be warranted against defects in workmanship or material through 100% of the first & second retread for a period of five (5) years from the date

of the casings DOT serial number or proof of purchase, if available, whichever comes first. If a Double Coin TBR tire dealer examines a casing and finds such a defect, Double Coin will reimburse the owner for the casing according to the following schedule:

| DOUBLE COIN CASING VALUES DOUBLE COIN LIGHT TBR | CASING VALUES (Double Coin) |
|--|--------------------------------|
| 8, 8.5R17.5 | \$15.00 |
| 8R19.5 | \$15.00 |
| TUBELESS | |
| 9, 10, 11R17.5 | \$20.00 |
| 9, 10R22.5 | \$40.00 |
| 11R22.5, 24.5 | \$65.00, \$70.00 |
| 12R22.5, 24.5 | \$70.00 |
| TUBELESS LOW PROFILE | |
| 215, 235/75R17.5 | \$15.00 |
| 225, 245, 265 | \$30.00 |
| 245, 265/75R22.5 | \$15.00 |
| 255, 275/70R22.5 | \$65.00 |
| 295/75R22.5 | \$65.00 |
| 295/80R22.5 | \$65.00 |
| 285/75R24.5 | \$75.00 |
| 315/80R22.5 | \$65.00 |
| 385, 425, 445/65R22.5 | \$65.00 |
| TUBE TYPE | |
| 10.00R20 | \$50.00 |

YOUR LEGAL RIGHTS

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusions may not apply to you. No representative or dealer has authority to make any representation, promise, or agreement on behalf of Double Coin, except as stated herein. Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. Under no circumstances is this a representation that a tire failure cannot occur. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. This limited warranty is applicable only in the United States.

END OF WARRANTY

A tire has delivered its full original tread life and the new tire coverage of this warranty ends when the treadwear indicators become visible, or five (5) years from the date of original tire manufacture or new tire purchase date. (Without proof of purchase, date of manufacture will be used to determine age.) Casings may continue to be warranted beyond the new tire coverage. Please refer to the Radial Casing Provision for warranty details on casings.

SAFETY WARNINGS

Serious injury or property damage may result from:

- **TIRE FAILURE DUE TO UNDERINFLATION/ OVERLOADING.** Follow the owner's manual or tire placard in vehicle.
- **TIRE FAILURE DUE TO EXCESSIVE HIGH SPEED.** Follow the owner's manual or tire placard in vehicle.
- **EXPLOSION OF TIRE/RIM ASSEMBLY DUE TO IMPROPER MOUNTING.** Only specially trained persons should mount tires.
- **FAILURE TO MOUNT RADIAL TIRES ON APPROVED RIMS**
- **FAILURE TO DEFLATE SINGLE OR DUAL ASSEMBLIES COMPLETELY BEFORE DISMOUNTING.**
- **TIRE SPINNING.** On slippery surfaces such as snow, mud, ice, etc., do not spin tires in excess of 35 mph (55 kpm), as indicated on the speedometer. Personal injury and severe damage may result from excessive wheel spinning, including tire disintegration or axle failure.

DOUBLE COIN

406 E. Huntington Drive, Suite 200
Monrovia, CA 91016
1-888-226-5250
www.doublecoin-us.com